

A

INDEX MAPS.

T.8 N R.5 W 2nd Mer.

	390	390	389	389	389	389	
392	6	402	5	401	4	404	3
	402	400	401	401	415	413	413
392	7	400	8	400	9	404	10
	401	398	399	399	412	412	408
391	18	398	17	398	16	411	15
	399	416	397	397	411	410	407
391	19	396	20	397	21	404	22
	396	394	393-395	393-395	409	409	407
391	30	394	29	395	28	404	27
	395	393	405	405	403	403	406
390	31	393	32	405	33	404	34
	386	386	386	386	385	385	385

T.9 N R.3 W 2nd Mer.

	422	422	421	421	421	421	
424	6	446	5	446	4	433	3
	445	448	444	444	433	434	435
424	7	448	8	445	9	432	10
	445	448	442	442	432	431	431
423	18	443	17	442	16	432	15
	442	440	439	439	430	430	428
423	19	440	20	439	21	438	22
	440	441	438	438	429	426-427	426
423	30	441	29	438	28	437	27
	441	437	437	436	429	426	426
422	31	437	32	436	33	436	34
	418	418	417	417	417	417	417

(C) The figures on the lines refer to the page.

Township N. 8 North of Range N. 3 West 2nd Mer Ind.
Ch. Ch.

South Boundary Apr. 9. 1811.

West	On the South Boundary of sec. 36 T. N. 8 R. R. N. 3 3' P. from which the cor. of S. 57 E. 8. W. 263 ft to a Brook. — 10 mds. course N.E.
40.00	Set a post for the cor. of 1/4 ac. from which a Sugar 18 in. dia. bears N 14 E. 25 lds. dist; 12 Buck 18. " " \$10 W. 14. "
80.00	Set a post for the cor. of sec. 35 & 36 from which a Sugar 14 in. dia. bears N 13 W. 20 links dist; 12 Buck 24. " " \$10 E. 27 " " Good Oak. Lando.

West On the South Boundary of sec. 35 T. N. 8 R. R. N. 3

10.00 To a Brook 10 links wide, course S.W.

25.00 " " " 3 " " " S.

40.00 Set a post for the cor. of 1/4 ac. from which a
Buck 15 in. dia. bears N 20 E. 20 links dist; 12
18. 10 " " \$36 W. 20 " "

48.00 To a Brook 10 links wide, course S.

80.00 Set a post for the cor. of sec. 34 & 35 from which a
Sugar 16 in. dia. bears \$6 W. 30 lds. dist; 12
Poplar 14. " " N 53 W. 29. "
Shade hilly; spik; limited Sugar & Buck & Oak

West On the South Boundary of sec. 34 T. N. 8 R. R. N. 3

26.00 To a Brook 5 links wide, course S.

32.50 " " 60. 10 " " " "

40.00 Set a post for the cor. of 1/4 ac. from which a
Wichy 10 in. dia. bears \$28 W. 4 lds. dist; 12
Buck 12. " " N 16 W. 13. "

60.00 To a Brook. 5 mds. wide, course S.

80.00 Set a post for the cor. of sec. 33 & 34 from which a
Sugar 10 in. dia. bears \$44. W. 7 lds. dist; 12

P. H. S. M. P. N. S. W. 2nd Mar. Ind.

Gum 16 in. air bars \$56 E. 24 lbs dist
Willy Oak Lands.

West	Cut the South Boundary off. 33. T. N. 8. M. R. 37 N
3.00	To a Brook 4 lbs side, Course S.E.
40.00	Set a post for the cor. of 1/4 ac. from which a Buck 16 in. air bars \$60 N. 18 lbs dist; 12 Bush. 16 " " N. 48. 20 "
62.00	To a Brook 5 lbs side, Course S.
65.00	" " " 3 " " S.E.
80.00	Set a post for the cor. of sec. 32 & 33 from which a Buck 15 in. air bars \$51 E. 23 lbs dist; 12 Llo. 24 " " N. 72 N. 28 "
	Willy Oak Lands.

West	Cut the South Boundary off. 32. T. N. 8. M. R. 37 N
24.00	To a Brook 3 lbs side, Course S.
40.00	Set a post for the cor. of 1/4 ac. from which a Sugar 6 in. air bars N. 28 N. 17 lbs dist; 12 Gum 16 " " \$64 E. 31 "
75.00	To a spring; Course S.
80.00	Set a post for the cor. of sec. 31 & 32 from which a Bush. 15 in. air bars N. 74 N. 8 lbs dist; 12 Llo. 10 " " N. 83 E. 23 "
	Willy Oak Lands

West	Cut the South Boundary off. 31 T. N. 8. M. R. 37 N
40.00	Set a post for the cor. of 1/4 ac. from which a Bush. 16 in. air bars N. 14 N. 14 lbs dist; 12
80.00	Llo. 16 " " \$75 E. 31 " Set a temp. post for the cor. of S. 7. 7 & 8. 8 N. R. 314 N Wood lands; Timber, Sugar, Bush, or Poplar

S. N. 8. N. R. R. 37. 2nd Mer. Ind.

Surveyed by

Abram Holmes L.S.

East Boundary

B. 138

- North On the East Boundary of sec. 36. T. N. 8 N. R. R. 37.
from the cor. of S⁵ 708. N. R. 213 N.
11.50 Post Brook. 8 miles east, Come S.E.
40.00 Set a post for the cor. of S¹⁴ 40. from which a
Bush. 14 m. dist. bears S20 N. 31 miles west; 1 a.
L. a. 16, " " N51 E. 26, " "
54.00 Post Bush. 14 m. dist. stands in the line.
80.00 Set a post for the cor. of sec. 25136. From which a
Bush. 12 m. dist. bears S59 E. 18 miles west; 1 a.
Gum 22, " " N19 N. 22, "
Sand bar; Timber Bush. Gum & Poplar.

- North On the East Boundary of sec. 35 T. N. 8 N. R. R. 37.
19.50 From Gum 20 m. dist. stands in the line.
40.00 Set a post for the cor. of S¹⁴ 20. from which a
Hickory 10 m. dist. bears N19 E. 10 miles west; 1 a.
L. a. 11, " " N26 N. 37, " "
80.00 Set a post for the cor. of sec. 24, 125 T. N. 8. N. R. R. 37.
from which a Bush 9 m. dist. bears N25 N. 10 miles
and a Maple 12 m. dist. bears S79 E. 22 miles west,
Sand bar; Timber Oak. 1 a. 11 E. 1

- North On the East Boundary of sec. 24. T. N. 8. N. R. R. 37.
15.00 From Hickory 18 m. dist. stands in the line.
40.00 Set a post for the cor. of S¹⁴ 20. from which a
Sugar 13 m. dist. bears N59 N. 12 miles west; 1 a.
L. a. 5, " " S43 E. 14, " "
80.00 Set a post for the cor. of sec. 13124 from which a
Poplar 5 m. dist. bears N18 E. 15 miles west; 1 a.
L. a. 5, " " East 19, "

D. N. 8 N. R. N. 3 W. 2nd Mer. Quad.

North	On the East Boundary of sec. 13. T. N. 8. N. R. 3 W.
35.00	To a Buck. 14 in. dia. Stands on the line.
40.00	Set apart from the cor. of 1/4 sec. from which a Buck. 15 in. dia. bears S 52° W. 40 mts. due; to, Cl. 14 " " S 60° E. 32 " "
47.00	To a Brook 50 yards wide, course N. W.
80.00	Set apart from the cor. of sec. 12 & 13 from which a Buck. 13 in. dia. bears S 58° E. 22 mts. due; to, Sugar. 18 " " N 76° W. 19 " "

North	On the East Boundary of sec. 10. T. N. 8. N. R. 3 W.
40.00	Set apart from the cor. of 1/4 sec. from which a Buck. 14 in. dia. bears N 61° W. 14 mts. due; to, Cl. 9 " " S 47° E. 16 " "
63.50	To a sugar tree. Stands on the line.
69.00	To a Brook 45 yards wide, course S. W.
80.00	Set apart from the cor. of lot. 14 1/2 from which a Sugar. 14 in. dia. bears S 69° W. 20 mts. due; to, Buck. 15 " " N 86° E. 18 " " Sands 2nd rate; timber Buck. & Sugar etc.

North	On the East Boundary of sec. 1. T. N. 8. N. R. 3 W.
9.00	To a Poplar - in dia. Stands on the line.
40.00	Set apart from the cor. of 1/4 sec. from which a Poplar 20 in. dia. bears S 82° E. 23 mts. due; to, Buck. 6 " " S 82° W. 27 " "
78.00	Fell 10 ch. East of the 1st pt. Township cor. & set apart from the cor. of claims 8 & 9. N. R. 3. 2d 3 W. from which a Sugar 13 in. dia. bears S 77° E. 9 mts. due; to, Cl. 12 " " S 46° W. 19 " " Sands & timber same as last one.

P. N. 8. T.R. N. 3 W. 2nd Mer. Ind.

North Boundary

B. 145

West

On the North Boundary of sec. 36. T. N. 9. T.R. 3rd N.
From the cor. of P. 819 T.R. N. 213 N.

April 11. 1811.

19.57

To a Brook 50 links more, Conne. S.E.

40.00

Set a post for the cor. of 1/4 sec. from which a
Buck 13 in. dia. bears S $\frac{1}{4}$ E. 44 links dist; 1 a.

80.00

Do. 16 " " N. 7 $\frac{1}{2}$ W. 43 " "
Set a post for the cor. to set 35136. from which a
Hickory 15 in. dia. bears N $\frac{1}{2}$ E. 27 links dist; 1 a.
Logwood 4 " " S $\frac{1}{2}$ N. 25 " "
Hilly Buck. Sande.

West

On the North Boundary of sec. 35. T. N. 9. T.R. 3rd N.

40.00

Set a post for the cor. of 1/4 sec. from which a
W. Oak 16 in. dia. bears N $\frac{1}{2}$ W. 2 links dist; 1 a.
Sugar 5 " " S $\frac{1}{2}$ E. 37 " "

80.00

Set a post for the cor. of sec. 34135 from which a
Buck. 13 in. dia. bears N $\frac{1}{2}$ W. 28 links dist; 1 a.
Do. 12 " " S $\frac{1}{2}$ E. 26 " "

Sande soil and timber forms a flat land.

West

On the North Boundary of sec. 34. T. N. 9. T.R. 3rd N.

40.00

Set a post for the cor. of 1/4 sec. from which a
Sugar 5 in. dia. bears N $\frac{1}{2}$ E. 3 links dist; 1 a.
Buck. 10 " " S $\frac{1}{2}$ E. 31 " "

67.57

To a Brook. 5 links more, Conne. S.E.

80.00

Set a post for the cor. of sec. 33134 from which a
Sassafras 8 in. dia. bears East 16 $\frac{1}{2}$ links dist; 1 a.
Poplar 6 " " S $\frac{1}{2}$ E. 28 " "
Hilly rich land.

West

On the North Boundary of sec. 33. T. N. 9. T.R. 3rd N.

P. N^o 8. N.R. N^o 3 M. 2nd Mar (Land)

17.00	To a Brook 8 miles n.w., Comox S.W.
40.00	Set apart for the cor. of 1/4 ac. from which a Beech. 14 in. dia. tree N 46 E. 19 ft.耽; 1 a. D.o. 14 " " \$60 H. 29 "
80.00	Set apart for the cor. of sec. 32133. from which a Sugar. 9 in dia. tree N 62 E. 26 ft.耽; 1 a. D.o. 12 " " \$83 H.P. 33 "
	Hilly Beech land.

West	On the South Boundary of sec. 32. T. N ^o 9 N.R. 3 W
38.50	To a Brook. 10 miles n.w., Comox S.W.
40.00	Set apart for the cor. of 1/4 ac. from which a Sugar. 12 in dia. tree N 43 E. 4 ft.耽; 1 a. D.o. 12 " " 155 H. 42 "
64.50	To a Brook 10 miles n.w., Comox S.E.
80.00	Set apart for the cor. of sec. 31. 133 from which R. Oak 36 in dia. tree \$39 H. 27 ft.耽; 1 a. Beech. 18 " " 120 H. 26 " Sands medium good Tim in Beech. Sugars

West	On the South Boundary of sec. 31. T. N ^o 9 N.R. 3 W
35.00	To a Brook. 13 miles n.w., Comox S.W.
40.00	Set apart for the cor. of 1/4 ac. from which a Beech 9 in dia. tree N. 10 E. 11 ft.耽; 1 a. D.o. 18 " " 446 E. 26 "
80.00	Set a temporary post for the cor. of T. 8. R. 9. N.R. 3 314 W.
	Sands light & Gravelly same as last out.

North	West Boundary	Ap. 12 th 1811	B.
	On the East Boundary of Sec. 36. T. N ^o 8 N.R. 4 W		
40.00	From the cor. of T. 8. R. 8. N.R. 314 W Set apart for the cor. of 1/4 ac. from which a		

S. N. 8 M.R. R. 3 N. 2nd Mer. Sud.

62.50

1450

80.00

Beech 8 in diam. bears N 42 E. 3 units dist; 100
ft
Elm 5 " " N 19 N. 32 " "
To a B. Oak. 24 in diam. Stands on the line
Trout Brook 15 miles east, Coopersville P.M.
Set a post for the cor. of sw. 25 & 36 from which a
Sugar 7 in. diam. bears N 23 E. 23 units dist; 100
ft
Buck 6 " " S 17 N. 28 " "
Good Beech stand

North

36.00

40.00

80.00

On the East Boundary of sw. 25. S. N. 8. M.R. R. 4 N.
To a B. Oak 17 in. diam. Stands in the line
Set a post for the cor. of 14 sw. from which a
Sugar 14 in diam. bears N 35 N. 28 units dist; 100
ft
Buck 10 " " S 36 E. 15 " "
Set a post for the cor. of sw. 24 & 25 from which a
Buck 13 in. diam. bears N 19 E. 22. units dist; 100
ft
Loc. 10 " " N 76 N. 21 " "
Stands to same as last note.

North

33.00

40.00

57.00

69.50

80.00

On the East Boundary of sw. 24 S. N. 8. M.R. R. 4 N.
To a Brook 13 ft wide, Coopersville N.E.
Set a post for the cor. of 14 sw. from which a
Sugar 14 in diam. bears N 48 N. 32 units dist; 100
ft
N. Oak 16 " " N 74 E. 43 " "
To a Poplar 25 in. diam. Stands on the line
To a Brook 10 ft wide, Coopersville S.E.
Set a post for the cor. of sw. 13 & 24 from which a
Hog rood 3 in. diam. bears S 60 N. 9 ft dist; 100
ft
Loc. 4 " " N 89 E. 9 " "
Poor hilly Oak stand.

North

32.50

On the East Boundary sw. 13. S. N. 8 M.R. 4 N
To a Brook 10 miles east, Coopersville E.

C.R. 8. M.R. N° 3 W. 2nd Mar. Ind.

- 37.50 To a Spruce 16 in. dia. Stands in the line.
 40.00 Set apart for the cor. of 1/4 ac. From which a
 Beech 14 in. dia. bears S85°W. 22 links dist; to
 Hickory 16" " N61°E. 26" "
 74.00 To a Brook 12 links wide, corner N.C.
 80.00 Set apart for the cor. of lot 12 & 13. From which a
 Dogwood 5 in. dia. bears S51°W. 4 links dist; to
 Hickory 12" " N53°E. 44" "
 Holly Beech. land.

- North On the East Boundary of sec. 13. I. N° 8 M.R. 4 E.
 10.50 To a Brook 8 links wide, N.E.
 40.00 Set apart for the cor. of 1/4 ac. From which a
 Beech 14 in. dia. bears S10°E. 31 links dist; to
 Dogwood 5" " N50°W. 28" "
 56.00 To a Poplar 18 in. dia. Stands in the line.
 80.00 Set apart for the cor. of part 1+1/2 from which a
 Sugar. 4 in. dia. bears N78°E. 8 links dist; to an
 Amberock 5" " S16°W. 53" "
 Holly Beech. land

- North On the East Boundary of sec. 1. I. N° 8 M.R. 4 W.
 2.50 To a Brook 10 links wide, corner N.W.
 7.00 " " Spruce 5" " E.
 40.00 Set apart for the cor. of 1/4 sec. From which a
 Beech. 6 in. dia. bears N27°W. 6 links dist; to
 Loc. 9" " S34°E. 15" "
 67.00 To a Brook. 30 links wide, corner S.W.
 77.50 Fall 75 lbs West of the temp. spot cor. to I. N° 8 E. 9
 N.W. 314 W. From which set apart from which
 a Beech. 10 in. dia. bears S21°E. 13 links dist; to
 Loc. 14" " N44°W. 35" "
 Gord. Beech. land.

T.N. 8. N.R. N. 3 M. 2nd Mer. Sec.

Surveyed by
James Holmes. L.S.

Subdivisions

East On a Random line between Sec. 21. 828 T. N. 8. N.R. 3 M.
45.00 Set a tumpst post for the cor. of 1/4 sec. C
62.00 To a Brook 1. 15 miles wide, Comes N. Set any
79.57 Intersect the N & S line 4 rods N of the post cor. of sec.
21. 22. 27. 128
Land rolling poor soil; Smith Oak, Beech 10

West Between Sec. 29 & 30 T. N. 8. N.R. N. 3 M.
Sept. 3rd 18.15.

13.57 To a Brook (small) comes S.
36.00 " " 10 rods wide, Comes S.
40.00 Set a post for the cor. of 1/4 sec. from which a
Poplar. Can dist. bears S 30 E. 14 rods dist; to
Rocky 3. " " 126 E. 6. "
51.01 To a small Brook comes S.
70.00 " " " " S.
80.00 Set a post for the cor. of sec. 29. 30. 31 & 32 from which
Beech 10 in dist. bears S 32 E. 31 rods dist; to
10. 10. " " West. 16. "
Land hilly, and good for farming. Smith Oak
Poplar, Sugar, Beech &c. 2nd rate;

South On a Random line between Sec. 31. 132 T. N. 8. N.R. N. 3 M.
29.00 To a Brook. 20 rods wide, Comes N.
40.00 Set a tumpst post for the cor. of 1/4 sec.
80.38 Intersect the E & W Range line 50 rods West of the post
cor. of sec. 31. 132
Land soil & Smith same as last mile.

C. H. & N. R. R. No 37. 2nd Mar. Ind.)

North. On the line between Sat. 31.130 I. N. 8 M.R. 37.
 40.19 Set the traps open at the cross roads on the line for
 the cor. of 1/4 ac. from which a
 Dogwood 5 m. dia. has N 63° N. 7 lbs. dash; +
 Sugar. 6 " " S 57° E. 23. "
 80.38 To the post cor. of sat. 29.30. 31.32.

North Return Sat. 29.130 I. N. 8. M.R. N. 37.
 34.00 To a Brook. 15 miles west Coonse N.
 40.00 Set a post for the cor. of 1/4 ac. from which
 a Clark. 14 in. dia. has S 58° E. 10 lbs. dash; +
 a 12 " " N 37° N. 17. "
 46.00 To a Brook 10 miles west, Coonse N.
 60.00 " " 10 " " S. N.
 80.00 Set a post for the cor. of sat. 19.20. 29.130 ~~from which~~
 a Dogwood - in deer ~~tree~~ stands for the cor. from
 which a Beech. 6 in. dia. has N 82° N. 15 lbs. dash
 and a 12. 12 " " S 59° E. 32. "
 Land rolling, rather poor. Timber same.

East Return Sat. 20.129 I. N. 8 M.R. N. 34.
 8.50 To a small Brook. Coonse S.
 35.50 " " " " S. N.
 40.00 Set a post for the cor. of 1/4 ac. from which a
 Beech. 9 in. dia. has S 18. 5 lbs. dash; +
 a 15. " " N 51° E. 13. "
 41.00 To a Brook. 10 miles west, Coonse N.
 80.00 Set a post for the cor. of sat. 20. 21 28 129 from which
 a Beech. 9 in. dia. has S 13 E. 13 lbs. dash; +
 a 4. " " N 32° N. 21. "
 Land soil and timber similar to the last one.
 Land middling for farming

S. N. 8. N.R. N. 3 W. 2nd Mer. Quad.

South	On a Random line between Sec. 28 & 29 T. N. 8 N.R. N. 3 W.
40.00	Set a trap. post for the cor. of 1/4 sec.
79.55	Into sec. the E. 1/4 line 29 miles East of the Post cor. of sec. 28. 29. 32 & 33. Sands, silt, & gravel for farming; Cotton, Bush, Sugar, Poplar & Oak
North	On the true line between Sec. 28 & 29 T. N. 8 N.R. N. 3 W.
39.77	Set the trap. post at the cor. set on the true line for the cor. of 1/4 sec. from which a Dogwood 3 mi. due. bears S 58 W. 2 lbs. dash; & a Hickory 8 " " " S 21 E. 11 " "
79.55	Into post cor. of sec. 20. 21. 28. 129.
East	On a Random line between Sec. 21 & 28 T. N. 8 N.R. N. 3 W.
40.00	Set a trap. post for the cor. of 1/4 sec.
62.00	To a Brook 15 miles north, course N. Gets any
79.57	Into sec. the N. 1/4 line 4 miles North of the post cor. of Sec. 21. 22. 27 & 28. Sands broken & rocky; Cotton same as on the last line
West	On the true line between Sec. 21 & 28 T. N. 8 N.R. N. 3 W.
39.78	Set a post for the cor. of 1/4 sec. at the cor. dist. on the true line from which a Hickory 10 mi. due. bears N 79 E. 30 lbs. dash; & a Dogwood 6 " " " S 86 W. 10 " "
79.57	Into post cor. of sec. 20. 21. 28. 129
West	Between Sec. 30. 131 T. N. 8 N.R. N. 3 W.
40.00	Set a post for the cor. of 1/4 sec. from which a Sugar 11 mi. due. bears S 77 W. 6 lbs. dash; & a Loc. 12 " " " N 87 E. 29 " "
70.00	To a Brook 100 miles north, course S. W.

J. N° 8. N.R. N° 377. 2nd Mar. Ind.

78.40 Intercept the N.W. Range line, 77 links North of
the post cor. of sec. 25 & 36. J. N° 8. N.R. N° 477 &
set a post for the cor. of sec. 30 & 31 from which a
Beech. 8 in. dia. trees. \$8377.19 lbs. chis; 12
Beech. 10. " " \$1077.29. "
8 p.m. good soil; 11 p.m. & hilly.

North	Between Sec. 19 & 30 J. N° 8 N.R. N° 377.
25.00	Small Sp. Brook. - No trees, Common S. Th.
33.00	" " Small Brook. Common S. Th.
40.00	Set apart for the cor. of 1/4 sec. from which a Beech. 12 in. dia. trees. \$7377.16 lbs. chis; 12 73 Oak. 18. " " \$478.3. "
40.50	Small Brook 100 links wide, Common S.
79.89	Intercept the N.W. Boundary 92 lbs N. of the post cor. of sec. 24 & 25. J. N° 8. N.R. N° 477 & set a post for the cor. of sec. 19 & 30 from which a Hickory 12 in. dia. trees. \$298.46 lbs. chis; 12 Beech. 9. " " \$3277.27. " Sands hilly 3 rd rate;

North	Between Sec. 19 & 20 J. N° 8 N.R. N° 377.
40.00	Set apart for the cor. of 1/4 sec. from which a Beech. 18 in. dia. trees. \$128.36 lbs. chis; 12 Logwood 6. " " \$2477.24. "
80.00	Set apart for the cor. of sec. 17-18-19 & 20 from which a Sugar 14 in. dia. trees. \$48.24 lbs. chis; 12 73 Gum 15. " " \$3677.21. " Sands hilly and maddling good for farming Some Beech, Sugar, Poplar, Oak, Good soil.

East	Between Sec. 17 & 20 J. N° 8 N.R. N° 377.
40.00	Set apart for the cor. of 1/4 sec. from which a

S. N^o 8. N.R. N^o 377. 2nd Mar. India.

399

Bush. 13 m. near hars S3 E. 41 lbs dash; & a
Do. 12 " " N17 E. 16 " "
47.00 To a Brook 15 min. miles, Comes N.Y.
80.00 Set a post for the cor. of sw. 16. 17. 20. & 21 from which
Logwood 8 m. this hars S67 E. 19 lbs dash; & a
Sugar. 12 " " N65 N. 32, "
Sand Paper as last mile.

South On a Random line between Sat. 20 & 21 S. N^o 8 N.R. N^o 377
4000 Set a temp^r post for the cor. of 1/4 mi.
80.47 Intercept the E & N line 22 lbs West of the post cor. of
Sat. 21. 22. 28. & 29
Sand Paper and timber same.

North On the line between Sat. 20 & 21 S. N^o 8 N.R. N^o 377
40.23 Set the temp^r post at the ave. dist on the line
for the cor. of 1/4 mi. from which
Keween 15 m. due hars S76 E. 4 lbs dash; & a
Buch. 12 " " S47 N. 12, "
80.47 Set the post cor. of sw. 16. 17. 21. & 22.

Tuesday Sept. 5. 1815.

East On a Random line between Sat. 16 & 21. S. N^o 8 N.R. N^o 377
20.00 To a Brook. 100 min. miles, Comes S.
60.00 Set a temp^r post for the cor. of 1/4 mi.
67.00 To a Brook. 15 mi. miles, Comes S.
80.00 Intercept the N. & S line 75 miles North of the post cor.
of sw. 15. 16. 21. & 22
Sand Paper and timber same as last mile.

West On the line between Sat. 16 & 21. S. N^o 8 N.R. N^o 377
40.00 Set the temp^r post at the ave. dist on the line for
the cor. of 1/4 mi. from which a

S. N. & N.R. N. & W. 2nd Mar. Ind.

Buck 14 mi. n.e. town \$107.11 lbs. due;
 Llo. 10, " " N67E.9, "
 80.08 To the post cor. opp. 16 17. 20. & 21.

North Return Sat 16 & 17 J. No 8. N.R. N. 377.
 21.50 To a brak. 10 miles n.e., Comer N.
 4.00 Set apart for the cor. of 1/4 ac. from which a
 Buck 10 mi. n.e. town \$12 E. 7 lbs. due; & to
 Llo. 11, " " N38N.27, "
 80.00 Set apart for the cor. opp. 8. 9. 16. & 17 from which a
 Buck 12 mi. due. town \$71 N. 11 lbs. due; & to
 Llo. 9 " " N36E.34, "
 Sand & soil and timber same as last mile.

North Return Sat. 8. & 17 J. No 8. N.R. N. 377.
 4.00 Set apart for the cor. of 1/4 ac. from which a
 Buck 8 mi. due. town \$13 E. 13 lbs. due; & to
 Llo. 11, " " N11E. 21, "
 45.00 To a Brook 15 miles n.e., Comer S.
 79.00 " " Llo. 15, " " " N.
 80.00 Set apart for the cor. opp. 7. 8. 17 & 18 from which a
 B. Walnut. 6 mi. due. town \$45 N. 6 lbs. due; & to
 Sycamore 36, " " N5E. 20, "
 Sand broken & rocky; Timber same as last mile.

South One Random line between Sat. 17 & 18 J. No 8. N.R. N. 377
 0.50 To a Brook 15 miles n.e., Comer N.E.
 4.00 Set a temp. post. cor. of 1/4 ac.
 58.00 To a brak. 100 miles n.e., Comer N.
 79.91 Enter just the E. & West 35 miles East of the post cor. of
 Sat. 17. 18. 19 & 20
 Sand & soil and timber same as last mile

N. 8. N.P. N. 377. 2nd Mer. Ind.

West 20.50	Between Sec. 18 & 19 T. N. 8 N.P. N. 377. To a brak. 100 yards nore S.W.
40.00	Set a post for the cor. of 1/4 sec. from which On sec. 10 in air. bears N 86° E. 7 yards west; 100 W. Ash 18 " " 446 M. 49 "
79.79	Inward the West Boundary 196 yards North of the post cor. of sec. 13 & 24 T. N. 8 N.P. N. 477. Set a post for the cor. of sec. 18 & 19 from which W. Oak. 9 in air. bears S 85° W. 25 yards west; 100 W. Oak. 14 " " N 85° E. 18 " " Same soil and timber same as last mile.

North 3995	On the true line between Sec. 17 & 18. T. N. 8 N.P. N. 377. Set the temp. Y post at the avn. dist. on the true line for the cor. of 1/4 sec. from which a W. Oak. 4 in. air. bears N 69° E. 14 yards west; 100 Logwood 11 " " S 34° W. 12 " " To the post cor. of sec. 7. 8. 17 & 18.
---------------	--

Sept. 6. 1815.

East 40.00	On a random line between Sec. 9 & 16. T. N. 8 N.P. N. 377. Set a temp. Y post for the cor. of 1/4 sec.
80.72	Intersect the N. 85° line 11 yards North of the post cor. of sec. 9. 10. 15 & 16. Same soil and timber same as last mile.

West 40.36	On the true line between Sec. 9 & 16. T. N. 8 N.P. N. 377. Set the temp. Y post at the avn. dist. on the true line for the cor. of 1/4 sec. from which a W. Ash. 14 in air. bears N 54° W. 26 yards west; 100 Logwood 3 " " S 97° W. 8 " " To the post cor. of sec. 8. 9. 16 & 17.
80.72	

400

C. N. 8. M. R. No 3 N. 2nd Mer. Ind.

North	Between Sec. 8 & 9 T. N. 8 M. R. No 3 N.
26.50	Soak Brook 10 mds. Contra N.
37.00	" " 20 " 10 " " A.M.
40.00	Set a post for the cor. of 1/4 sec. from which Sugar 12 m. dist. bears N 40 E. 17 lbs dash; & so Bush. 6 " " N 40 E. 19 "
80.00	Set a post for the cor. of sec. 4. 5. 8 & 9 from which Bush 9 m. dist. bears N 63 E. 19 lbs dash; & so Sugar 12 " " S 56 N. 33 " Sand hills and some diking good for farming Timber Bush. Sugar, Ash, Poplar, &c

West	Between Sec. 5 & 8 T. N. 8 M. R. No 3 N.
40.00	Set a post for the cor. of 1/4 sec. from which Dogwood 6 m. dist. bears N 88 N. 4 lbs dash; & so Sugar. 11 " " S 88 E. 29 "
80.00	Set a post cor. of sec. 5, 6, 7, 8. from which a Bush 10 m. dist. bears N 78 N. 8 lbs dash; & so Loc. 15 " " S 61 N. 47 "

Sands same as last mile, broken.

South	On a random line between Sec. 7 & 8 T. N. 8 M. R. No 3 N.
40.00	Set a temp. post for the cor. of 1/4 sec.
68.00	Soak Brook 3 mds. Contra N.E.
80.67	Intersect the E. N. line 57 lbs west of the post. cor. of Sec. 7 & 8, 17 & 18 Sand hills & broken; timber Bush. Sugar Ash, &c

North	On the true line between Sec. 7 & 8 T. N. 8 M. R. No 3 N.
40.33	Set the temp. post at the cor. dist. on the true line for the cor. of 1/4 sec. from which a Sugar 6 m. dist. bears N 81 E. 16 lbs dash; & so Bush 9 " " N 87 N. 23 "

401

D. N. 8 M.R. P. 3 M. 9th Mar. (Add. ^a)

80.67	To the post ex. off acr. 5.6.708.
9.67	Between Sec. 7 & 18 T. N. 8. M.R. N. 3 M. Set a post for the cor. of 1/4 acr. from which a Bush 24 m. dist. bears N 73° 37' E. 8 links dist; to a Do. 20 " " N 82° E. 17' "
56.00	To a small brook comes N.E.
70.00	" " Do. do 8 M. mid. comes N.E.
80.86	In the cut the West Boundary 167 M. North of the post cor. off Sec. 12 & 13 T. N. 8 M.R. N. 4 M. Set a post for the cor. off sec. 7 & 18 from which a Bush. On a distant bears S 78° E. 26. M. dist. to a Do. 12. " " S 27° 22' " Sand & stone & timber same.
Cash	Aug Random line between Sec. 4 & 9 T. N. 8. M.R. N. 3 M.
40.00	Set a trumpet post for the cor. of 1/4 acr.
79.79	From set the N 18. line 37 M. North of the post ex. off acr. 3. 4. 9 & 10 Sand & stone same; sand middling good for furnaces
9.67	Aug tree line between Sec. 4 & 9 T. N. 8 M.R. N. 3 M. Set the trumpet post at the avcr. dist. in the tree line for the cor. of 1/4 acr. from which a Bush 12 m. dist. bears S 70° E. 6 links dist; and a Do. 24. " " N 34° 17. 28' "
79.79	To the post cor. off sec. 4. 5. 8 & 9.
North	Bottom Sec. 4 & 5 T. N. 8. M.R. N. 3 M.
40.00	Set a post for the cor. of 1/4 acr. from which a Bush 12 m. dist. bears N 15° 47. 22' M. dist; to a Do. 12. " " N 82° E. 28' "

402

V. N. S. M. P. N. S. T. P. 2nd Mar 1860

- 41.00 Oak Brook 10 miles n.w., Converse N.Y.
 70.24 Int. set the N Boundary 33 links East of the post,
 set. for the cor. of sec. 32, 133. T. N. 9. R.R. N. 377
 made set apart for the cor. of sec. 405 from which a
 log m. 10 m. and bears N 61° E. 6 links east; to
 Bush. 30 " " \$55 E. 20, "
 Sand. hilly & goods for fanning. Same sum.

- West Return Sat. 6th I. N. 8 R.R. N. 377.
 7.50 Oak Brook 15 miles n.w., Converse N.Y.
 40.00 Set apart for the cor. of 1/4 sec. from which a
 Bush. 9 m. due. bears S 29° W. 13 links west; to
 Haggerwood 7, " " N 28° E. 13 " "
 55.00 Oak Brook. 15 miles n.w., Converse N.Y.
 80.24 Int. set the West Boundary 289 down North of the
 post cor. of sec. 1512. I. N. 8. 1512 N. 04° W. 1 set a
 post for the cor. of sec. 6th from which a
 log m. 6 m. due. bears N 27° W. 11 links west; to
 V. Bush. 18 " " East 11 " ,
 Sand. hilly & quite broken. Same sum as last time.

- North Return Sat. 5th. I. N. 8 R.R. N. 377.
 32.00 Oak Brook 10 miles n.w., Converse N.Y.
 36.00 " " 16a. 3 " " " "
 40.00 Set apart for the cor. of 1/4 sec. from which a
 Bush. 6 m. due. bears N 15° E. 8 links west; to
 16a. 7, " " \$21 W. 23, "
 70.71 Int. set the N Boundary 9 links west of the post,
 cor. of sec. 31, 133. T. N. 9. R.R. N. 377 made set as
 post for the cor. of sec. 5th, from which a
 Bush. 24 m. due. bears N 36° 24' links west; to
 R. Oak 36 " " \$17 W. 22, "
 Sand. broken & hilly,

403

P. N. 8. NTP. N. 3 M. 2nd Mer. Ind?

North	Between Lat. 34.835 I. N. 8 NTP. N. 3 M.
40.00	Set a post for the cor. of 74 sec. from which a Beech 14 in. di. bears N 26° W. 31 ft. dist; to Beech 18 " " South 7 " "
80.00	Set a post for the cor. of sec. 26. 27. 34 & 35 from which a Beech of no. 10 in. dia. bears S 98° E. 11 ft. dist; to Dogwood 6 " " N 18° W. 14 " "
"	Same as last. Trees. Part of it rather stony Timber Poplar, Sugar, Oak & good soil.

East	On a random line between Lat. 26.835 I. N. 8 NTP. N. 3 M.
40.00	Set a temp. post for the cor. of 74 sec.
48.00	To a small Brook. Comes N.W.
80.00	Intersect the N & S line 27 miles North of the post cor. of sec. 25. 26. 35 & 36.

West	On a line between Lat. 26.835 I. N. 8 NTP. N. 3 M.
40.00	Set the temp. post at the cor. dist on the line line from the cor. of 74 sec. from which a Red Bud 5 in. dia. bears N 10° E. 11 ft. dist; to Beech. 5 " " N 47° W. 14 " "
80.00	To the post cor. of sec. 26. 27. 34 & 35

West	Between Lat. 27.034 I. N. 8 NTP. N. 3 M.
27.00	To a Brook 10 miles west, Comes N.W.
40.00	Set a post for the cor. of 74 sec. from which a Beech 10 in. dia. bears S 23° E. 10 ft. dist; to Sugar 12 " " N 33° W. 22 " "
80.00	Set a post for the cor. of sec. 27. 128. 33. 134 from which a Beech 8 in. dia. bears S 84° E. 11 ft. dist and a 10. 5 " " West 12 " " Same hilly; Soil good; Timber Beech, Sugar, Oak & Poplar.

S. N. 8 N. R. N. S. W. 9th Mer. Dist.

North Between S. 1. 27. 828 S. N. 8 N. R. N. 3 N.
 40.00 Set a post for the cor. of 1/4 ac. from which a
 W. Oak 30 in. dia. bears S 63° N. 8 mts dist; & to
 16" 30" " " \$18 E 15" "
 81.07 Set a post for the cor. of sec. 21. 22. 27. 828 from which
 a Beech. 10 in. dia. bears S 26° E. 8 mts dist; & to
 Da 18 " " " N 37° N. 22" "
 Sandy soil and timber same as last mile.

North Between S. 1. 27. 227 S. N. 8 N. R. N. 3 N.
 13.08 To a Creek. 100 yards wide, Conneaut N.
 40.00 Set a post for the cor. of 1/4 ac. from which a
 Beech. 14 in. dia. bears N 32° E. 25 mts dist; & to
 Da 15" " " N 85° N. 35" "
 80.00 Set a post for the cor. of sec. 15. 16. 21. 829 from which
 a Blackberry 9 in. dia. bears S 67° E. 19 mts dist; & to
 a Beech. 14" " " N 55° N. 20" "
 Sandy similar, South of creek bottom.

Sept. 2nd 1815

South On a flat sand hill between S. 1. 33. 34. T. N. 8 N. R. 3 N.
 40.00 Set a temp. post for the cor. of 1/4 ac.
 79.20 Intersect the East & N. line 22 mts West of the
 post cor. of sec. 33. 34
 Sandy hilly, no rolling ground for farming
 Junior Poplar, Sugar Beech, Oak, &c

North On the line between S. 1. 33. 34. T. N. 8 N. R. N.
 3 N. 2nd Mer.
 39.60 Set the temp. post at the cor. dist in the tree line
 for the cor. of 1/4 ac. from which a
 Beech. 24 in. dia. bears N 73° N. 20 mts dist
 Da. 12" " " \$16 E 16" "

P.R. & N.R. R. 3 M. 2nd Mar. Ind.

49.20 To the post cr. of sec. 27, 28, 33 & 34

West Between Sec. 28 & 33 T. N. 8 N.R. N. 37.
40.00 Set a post for the cor. of 1/4 ac. from which a
W. Oak. 18 in. dia. bears West 11 mts to oak; 1 w
Buck 34. " " \$68 E. 18. "
66.00 Took Brook 20 mts to the Conew St. M.
81.00 Set a post for the cor. of sec. 28, 29, 33 & 34 from which
a Dogwood 4 in. dia. bears S 10 E. 26 mts to oak; 1 w
B. Oak. 40. " " \$32 N. 35. "
Sand soil and timber same as last mile.

South On the same line between Sec. 32, 033 T. N. 8 N.R. N.
37. 2nd Mar.
35.57 To a small Brook. Conew St. M.
40.00 Set a temp. post for the cor. of 1/4 ac.
45.57 Took Brook - the mid. Conew Brook
Broke set the E. N. W. Range line 14 links West of
the post cor. of sec. 32, 033.
Sand soil & timber same as last mile.

North On the line between Sec. 32 & 33 T. N. 8 N.R. N. 37.
40.00 Set the temp. post at the ave. dist. on the line
for the cor. of 1/4 ac. from which a
Hick. Y. 15 in. dia. bears S 81 E. 5 mts to oak; 1 w
W. Oak. 20. " " \$57 N. 20. "
80.04 To the post cor. of sec. 28, 29, 32 & 33.

August 30 1815.

North Between Sec. 35 & 36 T. N. 8 N.R. N. 37.
6.50 Took small Brook. Conew St. M.
12.00 " " " " " " " "
40.00 Set a post for the cor. of 1/4 ac. from which a

I. N. S. N. R. N. 3 W. 2nd Mer. Ind.

Beech 8 mi dist. from N 15 E. 18 miles west; to a
do. 10 " " \$3677.12 " "
80.00 Set a post for the cor. of sec. 25, 26, 35 & 36. from which
a Poplar 36 mi dist. from N 5 E. 26 miles west; to a
Beech. 18 " " \$1577.30 " "
Sand & hills, middling goods for farming; timber
Oak, Ash, Beech & Poplar.

East On the true line between Sec. 25 & 36. I. N. S. N. R. 3 W.
40.00 Set a temporary post for the cor. of 1/4 sec.
80.50 Intercept the East Boundary 50 miles North of
the post cor. of sec. 25 & 36.
Sand & middling for farming; timber Poplar
Beech, Oak, etc.

West On the true line between Sec. 25 & 36 I. N. S. N. R. 3 W.
40.25 Set the temporary post at the ave. dist. on the true
line for the cor. of Poplar from which a
Sassafras 6 mi dist. has \$5 E. 16 miles west; to a
do. 8 " " N 19 E. - " "
80.50 To the post cor. of sec. 25, 26, 35 & 36.

August 31st 1815.

North Between Sec. 25 & 26 I. N. S. N. R. 3 W.
13.50 To a Brook - the main stream N.
40.00 Set a post for the cor. of 1/4 sec. from which a
Poplar. 40 mi dist. has \$5777.10 miles west; to a
Beech. 14 " " \$7777.8 " "
80.00 Set a post for the cor. of sec. 23, 24, 25 & 26 from which
a W. Beech. 4 mi dist. has \$85 E. 8 miles west; to an
Elm 3 " " \$2877.21 " "
Sand & hills & middling for farming; timber
Beech, Poplar, Oak, etc.

407

S. N.^o. 8. T.R. R.^o 3 T.W. 2nd Mer. Ind.

East On a Random line between S.W. 24 & 25 T.R.^o 8.
N.R. M. 3 T.W. 2nd Mer.

40.00 Set a temp. post for the cor. of 1/4 ac.
80.15 Intercept the East & West line 27 m. North of the
post cor. of sec. 24 & 25. Land as hilly, stony & poor.

West On the true line between Sec. 24 & 25 T.R. 8 N.R. M. 3 T.W.

40.00 Set the temp. post at the ave. dist. on the true line
for the cor. to 1/4 ac. from which a
Beech 78 in. dia. trees S 81 E. 7 links dist; & a
Beech 6 " " " N 47 N. 6 " "
80.15 To the post cor. of sec. 23, 24 & 25 & 26.

North Between Sec. 23 & 24 T.R.^o 8. N.R. M. 3 T.W.

40.00 Set a post for the cor. of 1/4 ac. from which a
Maple 16 in. dia. trees - 71 E. 9 links dist; & a
Gum 20 " " S 58 N. 24 " "
80.00 Set a post for the cor. of sec. 13 & 14 23 & 24 from which
Oak 18 in. dia. trees N 10 E. 9 links dist; & a
Beech 7 " " " S 70 E. 13 " "
Land as hilly, stony, Juniper Oak, Beech & Ash,

Sept. 18 15.

East On a Random line between Sec. 13 & 24 T.R.^o 8 N.R. M. 3 T.W.

40.00 Set a temp. post for the cor. of 1/4 ac.
79.74 Intercept the N & S line 60 links N. of the post cor.
of sec. 13 & 24. Land same as last mile.

West On the true line between Sec. 13 & 24 T.R.^o 8. N.R. M. 3 T.W.

39.87 Set the temp. post at the ave. dist. on the true line for the
cor. of 1/4 ac. from which a
Beech 20 in. dia. trees S 39 N. 20 links dist; & a
Knick 12 " " " N 63 E. 5 " "

T.N. 8. N.R. N. 377. 2nd Mer. Ind:

79.74 To the post cor. of sec. 13, 14, 23 & 24.

- North Return Sec. 13 & 14 T.N. 8. N.R. N. 377.
- 30.00 To a Brook. 50 miles N.E., Comer S.T.
- 40.00 Set a post for the cor. of 1/4 sec. from which a
Beech. 36 in diam. trees. Each 3 miles dist; to
Ld. 10, " " N4277.8, "
- 80.00 Set a post for the cor. of sec. 11, 12, 13 & 14 from which a
Gum 20 in diam. trees - 85 1/2 miles dist; to
Beech. 16, " " N5177.13, "
Same hill; post & survey; Limon Gum Beech
& Oak. &c.

- East On a Road line between Sec. 12 & 13. T.N. 8. N.R. N. 377
- 40.00 Set a temp. post for the cor. of 1/4 sec. from
65.00 To a Brook. - 10 miles Comer S.T.
- 79.77 Into sec. 11. East Bound. 3 1/2 miles North of the
post cor. of Sec. 12 & 13.
Land in a rolling prairie; Limon Oak,
Beech, & Ash.

- West On the tree line between Sec. 12 & 13. T.N. 8. N.R. N. 377.
- 38.88 Set the temp. post at the cor. dist; on the tree line
for the cor. of 1/4 sec. from which a
Beech 17 in diam. trees. N4977.5 miles dist; to
Hornbeam, " " N616.10, "
- 79.77 To the post cor. of sec. 11, 12, 13 & 14

- North Return Sec. 11 & 12 T.N. 8. N.R. N. 377.
- 18.50 To a Brook - 10 miles Comer S.T.
- 40.00 Set a post for the cor. of 1/4 sec. from which a
Beech 16 in diam. trees. N477.5 miles dist; to
Ld. 14, " " N48E. 17, "

S. N. 8. N.R. No 3 N. and N.W. Quad.

80.00

Set a post for the cor. of sw. 12, 11 & 10 from which a
Poplar 36 in. dist. bears S 42° W. 9 mts. due; & a
Beech 10 " " N 43° E. 11 " "
Sowed grass for farming; Tractor some

Sept. 2nd, 1815.

East

Between Sec. 22, 23, 27, I N.R. N. 3 N.

21.50

To a Brook. - At mid., Conver. N.

40.00

Set a post for the cor. of 1/4 sec. from which a
Beech 8 in. dist. bears S 4 E. 6 mts. due; & a
Dogwood 4, " " N 53° W. 16, "

80.00

Set a post for the cor. of sw. 22, 23, 26 & 27 from which
Poplar 4 in. dist. bears N 53° E. 60 th. due; & a
Lia. 4 " " 36° W. 14, "

Laid hilly, grass for farming. Elm, Oak,
Beech & Birch. 7

South

On a Random line between Sec. 26, 27, I N.R. 3 N.

40.00

Set a temporary post for the cor. of 1/4 sec. for

44.00

To a Brook. 3 mts. mid., Conver. N.W.

80.68

Interspersed the Est. N. line 29 mts. West of the post on off
Sec. 26, 27, 34 & 35.

Sowed soil on the bank same as last mth.

North

On the line between Sec. 26, 27, I N.R. 3 N.

40.34

Set the temporary post at the cor. due in the true line for

the cor. of 1/4 sec. from which a

Beech 18 in. dist. bears S. 55° W. 5 mts. due; & a

Poplar 4 " " N 14° E. 15 " "

81.68

To the post cor. of sw. 22, 23, 26 & 27.

East

On a Random line between Sec. 23, 24, 1 N.R. 3 N.

40.00

Set a temporary post for the cor. of 1/4 sec.

V. P. S. R. Y. R. N. 37. 2nd Mar. (See v. 2).

49.85 Intercept the N.E. line 100 yards N. of the post cor. of
S. 13, T. 24, R. 25 & 26.

Sand & hilly ground for farming; similar same.

West On the line between Sec. 23 & 26 S. N. 8 M. R. M. 37.

39.94 Set a temporary post at the arm. side in the line for
the cor. of 1/4 sec. from which a

Bush. 15 m. dist. has N 45° E. 29 links west; 100

M. Oak. 4 " " N 12 E. 23 " "

79.88 To the post cor. of sec. 22, 25, 26, 27.

North Between Sec. 22 & 23, S. N. 8 N. R. N. 37.

39.00 To a Brook - 100 mds., comes S. W.

40.00 Set a post for the cor. of 1/4 sec. from which a
Bush. 24 m. dist. has S 57° W. 7 links west; 100

Lia. 10 " " - 23 E. 15 " "

45.00 To the above brook - 100 mds., comes N. E.

65.00 " " same. 20 " - " " " S. E.

80.00 Set a post for the cor. of sec. 14, 15, 22, 23 from which a

Bush. 4 m. dist. has S 84 E. 8 links west; 100

Lia. 3 " " S 18 E. 10 " "

Sand & meadowing for farming; hilly &c. similar

Bush. Sugar & Gum.

East On a Canadian line between Sec. 14, 19, 23 S. N. 8 M. R. 37.

40.00 Set a temporary post for the cor. of 1/4 sec.

70.00 To a Brook 70 links wide, comes S.

80.15 Intercept the N.E. line 50 links South of the post cor. of
Sec. 13, 14, 23 & 24

Sand soil made timber same as last mile.

West On the line between Sec. 14, 19, 23 S. N. 8 N. R. M. 37.

40.07 Set the temporary post at the arm. side in the line

411

L. No. 8 U. R. No. 3 M. 2nd Mer. Ind.

For the cor. of 1/4 sec from which
Buck 18 in. wide bears. North 1 with dash; Ray
Lla. 6, " " \$57 E. 10, "
80.15 To the post cor. of sec. 14, 15, 22, 23.

Sept. 3rd 1815.

East On Random line between Sec. 15 & 22, T. N. 8 M. R. N. 3 Th.
40.00 Set a temp. post for the cor. of 1/4 sec.
79.37 Into sec. the N. 13 line 10.8 miles North of the post cor. of
Sec. 14, 15, 22, 23.
Land in rolling for farming; Linn Poplar, Buck
ash, etc.

West On the same line between Sec. 15 & 22, T. N. 8 M. R. N. 3 Th.
39.66 Set the temp. post at the ave. dash in the tree line for
the cor. of 1/4 sec. from which a
Buck. 4 in. wide bears \$83 E. 34 with dash; Ray
Lla. 10, " " \$27 N. 18, "
79.37 To the post cor. of Sec. 15, 16, 21, 22.

North Between Sec. 15 & 16 T. N. 8 M. R. N. 3 Th.
34.00 Took Brook 20 ft wide, Course N.
40.00 Set a post for the cor. of 1/4 sec. from which a
Buck. 3 in. wide bears \$84 N. 19 miles dash; Ray
Lla. 6, " " \$27 E. 9, "
75.00 Took Brook 12 miles wide, Course N.
80.00 Set a post for the cor. of sec. 9, 10, 15, & 16 from which a
Buck. 20 in. wide bears. South 6 miles dash; Ray
Lla. 14, " " \$50 E. 16, "
Land hilly made good for farming; Linn Buck,
Ash, Elm, Sugar,

Sept. 4. 1815.

D. N. 8. N. R. N. 3 M. D. M. Mar. Ind.

East Between Sec. 10, 11, 15 T. N. 8 M. R. M. 3 Th.
 40.00 Set a post for the cor. of 1/4 sec. from which an
 Elmwood 4 mi. west bears N. 82° 47'. 00. miles dist; 1/2
 Bush. 10", " N. 37° E. 10", "
 80.00 Set a post for the cor. of sec. 10, 11, 14 & 15 from which a
 Birch 18 mi. west bears N. 14° 37'. 13. miles dist; 1/2
 L. 14", " N. 68° E. 23", "
 Sand & timber same as last mile.

South On a Random line between Sec. 14 & 15 T. N. 8 M. R. M. 3 Th.
 40.00 Set a post for the cor. of 1/4 sec. (Temp. 9)
 79.90 Continue the C. & N. line 112 lbs East of the post cor. of
 Sec. 14, 15, 22, 32.
 Sand & timber same as last mile.

North On the true line between Sec. 14, 15 & 17 T. N. 8 M. R. M. 3 Th.
 39.95 Set the temp. 9 post at the a.m. dist. on the true line
 for the cor. of 1/4 sec. from which a
 Sugar 16 mi. west bears N. 5° E. 23. miles dist; 1/2
 Birch. 18", " N. 82° E. 21", "
 79.99 To the post cor. of sec. 10, 11, 14 & 15.

East On a Random line between Sec. 11, 12, 14 T. N. 8 M. R. M. 3 Th.
 40.00 Set a temp. 9 post at the a.m. dist. on the cor. of 1/4 sec.
 74.00 To a Brook. 70 miles N. W. Comer.
 78.37 Continue the N. 82° line 120 miles S. of the post cor. of
 Sec. 11, 12, 13, 14.
 Sand & timber same as last mile.

West On the true line between Sec. 11, 12, 14 T. N. 8 M. R. M. 3 Th.
 38.16 Set the temp. 9 post at the a.m. dist. on the true line for
 the cor. of 1/4 sec. from which a
 Birch 17 mi. west bears S. 63° E. 22. miles dist; 1/2

S. N° 8. N.R. N° 3 W. prop. Mr. (Ind.)

Bush. 18 in air. bears N 137°. 300 links north
4,830 To the post on elev. 10,111 ft. & 15.

East On a random line between Sec. 1. 14 D. S. N° 8. N.R. N° 3 W.
28.50 Poplar. 60 links north; 100 ft.
40.00 Set a temporary post at the end of 100 ft.
79.73 Intersect the At 8 km 140 links North of the post on elev.
1. 14 W. Sandy hilly & good for farming: Tamarisk, Oak,
Ash, Elm, Birch, Hazel & Lynn.

West On the same line between Sec. 10 13 D. S. N° 8. N.R. N° 3 W.
39.86 Set the temporary post at the 100 ft. mark; on the same line for the
cor. to 1/4 sec. from which a
Sugar. 5 in air. bears N 47°. 13 links north; 100 ft.,
Birch. 24. " " N 30 E. 21 " "
79.73 To the post on elev. 1. 2. 11. 14 D.

North Between Sec. 1. 14 D. S. N° 8. N.R. N° 3 W.
40.00 Set a post for the cor. of 1/4 sec. from which a
Poplar. 8 in air. bears N 63°. 6 links north; 100 ft.,
Sugar. 3. " " S 10 E. 4 " "
72.35 Intersect the N. Boundary 70 links East of the post on
elev. 35,136. S. N° 9 N.R. N° 3 W. & set a post for the
cor. of sec. 1. 14 D. from which a
Hickory 18 in air. bears East. 16 link north; 100 ft.
Oak. 17. " " S 67°. 20 " "
Sandy hilly stony & poor. Tamarisk Oak. & Hickory

West Between Sec. 24 11 S. N° 8. N.R. N° 3 W.
40.00 Set a post for the cor. of 1/4 sec. from which a
Sycamore 16 in air. bears N 54°. 15 links north; 100 ft.,
Birch. 15. " " S 52 E. 13 " "
80.00 Set a post for the cor. of sec. 3. 3. 10. 11 from which a

P. No. 8. N.R. N. 3 M. 2nd. Mar. Ind.

Beech. 18 in. acr. bears S 7 E. 9 miles west; 1 a.

On. 15, " " N 26 M. 13 " "

Land held by goode for farming; Timber Beech
ash & Poplar

- South On a Random line between Sec. 10 & 11 of P. No. 8 N.R. 3 M.
4000 Set a trumpet post at the cor. of 1/4 sec.
78.50 Intercept the E & W line 180 rods West of the post on
Aug. 10. 11. 14. & 15.
Land not made timber same as last mile.

- North On the true line between Sec. 10 & 11 of P. No. 8 N.R. 3 M.
39.50 Set the trumpet post at the avon. west; on the true line
for the cor. of 1/4 sec. from which an
Oak. 24 in. acr. bears S 64 M. 11 miles west; 1 a.
Beech. 16 " " N 82 E. 11 " "
78.50 To the post cor. of sec. 2, 3. 10. 211.

Sept. 6. 1815

- North Between Sec. 9 & 10 of P. No. 8 N.R. N. 3 M.
4000 Set a post for the cor. of 1/4 sec. from which a
Beech. 10 in. acr. bears N 36 E. 9 miles west; 1 a.
Dogwood 4 " " S 18 M. 24 " "
80.00 Set a post for the cor. of sec. 3 & 4. 9. & 10 from which a
Hickory 16 in. acr. bears East 11 miles west; 1 a.
Sugar 4 " " N 8 M. 8 " "
Land goode for farming; similar Basswood Ash,
Sycamore, Poplar & Beech. Rather hilly

- North Between Sec. 3 & 4. S. P. No. 8. N.R. N. 3 M.
4000 Set a post for the cor. of 1/4 sec. from which a
Beech. 15 in. acr. bears S 13 E. 17 miles west; 1 a.
On. 10 " " N. 10 E. 16 " "

S. N^o. 8. N.R. N^o. 3 M^o. 2nd Mar. Ind.

41.574

Entered the N Boundary 138 links East of the
post cor. of sec. 33 & 34. S. N^o. 9. N.R. N^o. 3 M^o. 1st m.
" for the cor. of sec. 35 & 4. From which a
Poplar 4 in. dbhs N 68 E. 4 links dist; & a
Upl. 6 " " N 84 M 19 " "
Soil good made timber same all along.

Sept. 8. 1815

East

Quar random line between Sec. 3 & 10 L. P. 8. N.R. 3 M^o.
4000 Set a temporary post for the cor. of sec.
48.35 Entered the N. S. line 25 links N. of the post cor. of
Sec. 2, 3, 10 & 11. Land good for farming
Timber Ash Oak, Poplar, & Beech.

West

On the tree line between Sec. 3 & 10 L. P. 8. N.R. N^o. 3 M^o.
39.17 Set the temporary post at the cor. dist in the tree line for the
cor. of 1/4 sec. from which a
Poplar 4 in. dbhs S 13 E. 5 links dist; &
Sassafras 4 " " - 05 M 16 " "
18.35 Took post cor. of Sec. 3, 4, 9 & 11.

South

Between Sec. 2 & 3 L. P. 8. N.R. N^o. 3 M^o.
16.00 To a Brook. 15 links wide, corner N. P.
40.00 Set a post for the cor. of 1/4 sec. from which a
Beech 14 in. dbhs L 7 M 17 8 links dist; &
Hognose 4 " " \$55 P. 6. 16 " "
72.55 Entered the N Boundary of S. N^o. 8. N.R. N^o. 3 M^o. 39
links East of the post cor. of sec. 34 & 35. S. N^o. 9. N.R.
N^o. 3 M^o. and set a post for the cor. of 2 & 3 from which a
Sycamore 15 in. dbhs N 23 M 29 links dist; &
Beech 6 " " \$34 E. 26 " "
Land middling for farming; hilly; Timber Ash Oak
Beech Poplars Sycamore

416

P. P. 8. M.R. L. J. G. 2nd Mer. Ind.

I certify that the foregoing transcript of the field notes of Township No. 8 North of Range No. 3, West of the principal Meridian in Indiana has been compared with the original notes in this Office and found to be correct.

Crook's General Office,
Cincinnati, Dec. 16. 1840

C. C. Peirce

Sur. Gen.

(This line was omitted in its proper place)

East Between Sec. 17 & 20, T. 8 N. R. 3 W.
 40.00 ft. of. See. post, from which
 a Beech 13 in. diam. bran 13 E 44 N. dist. of
 a Do. 12 " " " N 16 E 16 " "
 47.00 a Brook 15 hrs. wide Comse N.W.
 80.00 ft. post Cor. to Sec. 16, 17, 20 & 21 from which
 a Dogwood 8 in. diam. bran S 63 E 19 N. dist. of
 a Sugar 12 " " " N 65 W 32 " "
 Land hilly middling good for farming, timber
 Beech, Sugar, Poplar & Oak.